


Docket No. 198150US2S PCT  
IN RE APPLICATION OF: Takuya MASHIMO, et al.  
SERIAL NO: 09/647,926  
FILED: October 16, 2000  
FOR: CATHODE-RAY TUBE



IFW

COMMISSIONER FOR PATENTS  
ALEXANDRIA, VIRGINIA 22313

SIR:  
Transmitted herewith is an amendment in the above-identified application.

- ☒ No additional fee is required  
☐ Small entity status of this application under 37 C.F.R. §1.9 and §1.27 is claimed.  
☐ Additional documents filed herewith:

The Fee has been calculated as shown below:

CLAIMS	CLAIMS REMAINING		HIGHEST NUMBER PREVIOUSLY PAID	NO. EXTRA CLAIMS	RATE	CALCULATIONS
TOTAL	8	MINUS	20	0	x \$18 =	\$0.00
INDEPENDENT	4	MINUS	5	0	x \$88 =	\$0.00
		<input type="checkbox"/> MULTIPLE DEPENDENT CLAIMS				+ \$300 = \$0.00
		TOTAL OF ABOVE CALCULATIONS				\$0.00
		<input type="checkbox"/> Reduction by 50% for filing by Small Entity				\$0.00
		<input type="checkbox"/> Recordation of Assignment				+ \$40 = \$0.00
		TOTAL				\$0.00

- ☐ A check in the amount of \$0.00 is attached.  
☐ Credit card payment form is attached to cover the fees in the amount of \$0.00  
☒ Please charge any additional Fees for the papers being filed herewith and for which no check or credit card payment is enclosed herewith, or credit any overpayment to deposit Account No. 15-0030. A duplicate copy of this sheet is enclosed.  
☒ If these papers are not considered timely filed by the Patent and Trademark Office, then a petition is hereby made under 37 C.F.R. §1.136, and any additional fees required under 37 C.F.R. §1.136 for any necessary extension of time may be charged to Deposit Account No. 15-0030. A duplicate copy of this sheet is enclosed.

OBLON, SPIVAK, McCLELLAND,  
MAIER & NEUSTADT, P.C.

Eckhard H. Kuesters  
Registration No. 28,870

Customer Number

22850

Tel. (703) 413-3000  
Fax. (703) 413-2220  
(OSMMN 05/03)

I:\ATTY\NS\00620\198150US\198150US.PTO\_120804.DOC

Philippe J.C. Signore  
Registration No. 43,922

DOCKET NO: 198150US2S PCT



IN THE UNITED STATES PATENT & TRADEMARK OFFICE

IN RE APPLICATION OF :  
TAKUYA MASHIMO, ET AL. : EXAMINER: SIKHA ROY  
SERIAL NO: 09/647,926 :  
FILED: OCTOBER 16, 2000 : GROUP ART UNIT: 2879  
FOR: CATHODE-RAY TUBE :

**AMENDMENT**

COMMISSIONER FOR PATENTS  
ALEXANDRIA, VIRGINIA 22313

SIR:

In response to the Office Action dated September 9, 2004, for the above-identified patent application, please consider the remarks below and amend the application as follows:

**Amendments to the Specification** begin on page 2 of this paper.

**Amendments to the Claims** are reflected in the listing of claims which begins on page 3 of this paper.

**Remarks** begin on page 8 of this paper.